




IMPEDANCE ( Z )			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	58 Ω	152 Ω	317 Ω
Minimum	- Ω	121 Ω	- Ω



DETAIL "A"  
SCALE=4:1



DETAIL "B"  
CHAMFER  
SCALE=6:1



AGILENT E4991A Impedance/Material Analyzer  
HP 16092A-Test Fixture, REF # 3032

FERRITE CORE DIMENSIONS (SPEC): mm [in]

A	34.00 [1.339]	+	0.64 [.025]
B	29.58 [1.165]	+	0.51 [.020]
C	17.00 [.669]	+	0.42 [.017]
D	7.75 [.305]	+	0.51 [.020]
E	1.50 [.059]	+	0.51 [.020]

WEIGHT/1000 17.16 kgs [37.84] Lbs

SCALE DRAWING 1:1

28R1339-000

DIMENSIONS ARE IN mm [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.			
				PROJECT/PART NUMBER:	REV	PART TYPE:	DRAWN BY:
				28R1339-000	A	FERRITE RIBBON CORE	Jcai
				DATE:	SCALE:	MATERIAL:	
				01/11/13	2 : 1	FERRITE	
A	ORIGINAL DRAFT	01/11/13	Jcai	CAD #	TOOL #		
REV	DESCRIPTION	DATE	INT	28R1339-000-A	R1339		