

(22.40)
PROTECTIVE CAP WIDTH

(16.45)



VIEWS SHOWN WITH
PROTECTIVE COVER INSTALLED
10122770-1*1LF

NOTE 12

NOTE 13





Copyright FCI.

spec ref -				dr Sander Soe		2012/09/12		projection		MM		size A2		scale 5:1			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Tao Zhan		2014/10/23						ecn no ELX-DG-18510-1			
ASME Y14.5						chr -		-									
-						appr Collins Lu		2014/10/23								product family AIRMAX VS	
												rel level		Released			
surface 		linear		0.X ±0.3				title		AIRMAX VS2 VERTICAL HEADER		dwg no		10122770		rev	
		0.XX ±0.10															
		0.XXX ±0.050															
ASME Y14.5		angular 0° ±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 2 of 4				C	

PDS: Rev :C

STATUS:Released

Printed: Oct 24, 2014



RECOMMENDED PCB LAYOUT
FOR DIFFERENTIAL APPLICATIONS,
COMPONENT SIDE
(TWO ADJACENT FOOTPRINTS SHOWN)
NOTES 6, AND 8

spec ref	-	dr	Sander Soe	2012/09/12	projection	MM	size	A2	scale	3:1
tolerance std	ASME Y14.5	eng	Tao Zhan	2014/10/23	chr	-	ecn no	ELX-DG-18510-1	rel level	Released
surface	✓	appr	Collins Lu	2014/10/23	product family	AIRMAX VS	cat. no.	10122770	rev	C
ASME Y14.5	linear	angular	0°	±2°	www.fci.com	Product - Customer Drw	sheet 3 of 4			

