





LOC	DIST	REVISIONS						
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
			A6	REV PER ECR-11-019151	08SEP2011	AY	SZ	
			A7	REV PER ECR-13-012441	30AUG2013	CZ	SZ	
			A8	REV PER ECR-14-002489	25FEB2014	OL	SZ	
			A9	ADDED NEW DASH NUMBER 1-2	30MAR2014	CZ	SZ	



- ⚠️ HEADER HOUSING: THERMO PLASTIC, BLACK, UL94 V-O; CONTACTS AND RETENTION CLIPS: COPPER ALLOY.
- ⚠️ CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
RETENTION CLIP: .000115 MIN TIN.
- ⚠️ "AMP", PART NUMBER AND DATE CODE MARKED IN THIS AREA. PARTS UNDER 2.50 LONG MAY BE MARKED ON BOTH SIDES.
- ⚠️ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- ⚠️ PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
6. A SEATING TOOL IS REQUIRED TO SEAT THE HEADER ON THE P.C. BOARD. PLEASE REFER TO THE 114-13038 APPLICATION SPEC.
- ⚠️ CUSTOMER SUPPLIES (2) #4-UNC SCREWS, HARDWARE TO BE USED TO MOUNT HEADER ASSEMBLY TO PC BOARD.
- ⚠️ MECHANICAL CONNECTOR KEEP OUT ZONE.
- ⚠️ DETAIL DIM SEE PART VIEW

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D.RINGLER 25MAR06	TE Connectivity	
DIMENSIONS: INCHES		CHK M.PERCHERKE 25MAR06		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M.PERCHERKE 25MAR06	NAME VERICAL HEADER ASSEMBLY, W/LATCH RECEIVERS, PRESS FIT, TYPE P, MULTI-BEAM XL	
		PRODUCT SPEC	SIZE A1	
		108-1973	CAGE CODE 00779	
		APPLICATION SPEC	DRAWING NO 6600393	
MATERIAL 	ANGLES FINISH -2	114-13038	WEIGHT -	RESTRICTED TO -
CUSTOMER DRAWING		SCALE 2:1		SHEET 1 OF 5
				REV A9

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

A9

TRAY	1.220	.575	.235	1.330	.275	1.700	.250	1.900	.475	1.300	YES	4P	1-6600393-2
/	1.520	.575	.235	1.630	.275	2.000	.350	2.200	.475	1.600	YES	4P	1-6600393-0
TRAY	1.220	9	.235	9	-	-	.250	9	-	-	NO	4P	6600393-9
TRAY	1.470	.575	.235	1.580	.275	1.950	.200	2.150	.475	1.550	YES	6HDP	6600393-8
TRAY	2.070	.625	.285	2.180	.325	2.550	.300	2.750	.525	2.150	YES	6ACP	6600393-7
TAPE&REEL	.870	.625	.285	.980	.325	1.350	.300	1.550	.525	.950	YES	2ACP	6600393-5
TRAY	1.720	.575	.235	1.830	.275	2.200	.250	2.400	.475	1.800	YES	6P	6600393-3
TRAY	.970	.575	.235	1.080	.275	1.450	.250	1.650	.475	1.050	YES	3P	6600393-2
TRAY	.870	.625	.285	.980	.325	1.350	.300	1.550	.525	.950	YES	2ACP	6600393-1
PKG INFO.	DIM "EE"	DIM "DD"	DIM "CC"	DIM "BB"	DIM "TT"	DIM "U"	DIM "S"	DIM "L"	DIM "K"	DIM "D"	RETENTION CLIP	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

D. RINGLER

25MAR06

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC

±"

1 PLC

±"

2 PLC

±"

3 PLC

±.005

4 PLC


±"

ANGLES

±"

FINISH

-



MATERIAL

-

DRAWING NO.

108-1973

PRODUCT SPEC.

108-1973

APPLICATION SPEC.

114-13038

WEIGHT

-

CUSTOMER DRAWING

NAME

VERICAL HEADER ASSEMBLY, W/LATCH RECEIVERS, PRESS FIT, TYPE P, MULTI-BEAM XL

SIZE

A1

CAGE CODE

00779

DRAWING NO.

6600393

RESTRICTED TO

-

SCALE

2:1

SHEET

2

OF

5

REV






A9

TE Connectivity


LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER						
			P1	P2	P3	P4	P5	P6	
6600393-8	D		VM	VM	VM	VM	VM	VM	
	C								
	B								
	A								
6HDP		HD							HD

PART NUMBER	ROWS		POWER				
			P1	P2	P3	P4	
6600393-9	D		VM	VM	VM	VM	
	C						
	B						
	A						
4P							



PART NUMBER	ROWS		POWER				
			P 1	P 2	P 3	P 4	
I-6600393-2	D		VM	VM	VM	VM	
	C						
	B						
	A						
4P		HD					HD

4805 (3/11)