1217345-1 ✔ ACTIVE

FASTON | FASTON 110

TE Internal #: 1217345-1

Quick Disconnects, Receptacle, 18 – 16 AWG Wire Size, .75 – 1.5 mm² Wire Size, Mating Tab Width 2.8 mm [.11 in], Straight, Brass, FASTON 110

View on TE.com >

Terminals & Splices > Quick Disconnects







Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **.75 – 1.5 mm²**

Mating Tab Width: **2.8 mm [.11 in]**

Mating Tab Thickness: **.51 mm [.02 in]**

Features

Product Type Features

Insertion Force	Low

Configuration Features

Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]
Mating Tab Thickness	.51 mm[.02 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Unplated
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Dimple

Dimensions

Terminal Material Thickness	.3 mm[.012 in]
Product Length	16.64 mm[.655 in]
Compatible Insulation Diameter Range	2.79 – 4.32 mm[.11 – .17 in]
Wire Size	.75 – 1.5 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Industry Standards

Agency/Standard	CSA, UL

Packaging Features

Packaging Quantity	4000
Packaging Method	Strip/Reel

Other

Line	Budget

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1494217-1
110 FASTON,REC.,18-22 AWG,PB




TE Part # 1494219-1
110 FASTON,REC.,18-22 AWG,BR



TE Part # 2-2150239-1
OCEAN_2.0_Applicator-E-090F130F




TE Part # 2-2150239-2
OCEAN_2.0_Applicator-E-090F130F



TE Part # 2150239-1
OCEAN_2.0_Applicator-E-090F130F



TE Part # 2150239-2
OCEAN_2.0_Applicator-E-090F130F



TE Part # 7-2150239-7
OCEAN_2.0_SPARE_PART_KIT-090F130F

Also in the Series | FASTON 110




Crimp Terminal Housings(13)



Insertion & Extraction Tools(1)



PCB Terminals(21)



Quick Disconnects(172)


Customers Also Bought



TE Part #440055-2
2.0MM,HDR,2POS,R/A




TE Part #770063-1
01P .093 COMM P&S RECPT HSG



TE Part #794116-1
04P .156 MNL PLUG




TE Part #61085-1
.156 MNL SOK PTPBR



TE Part #42801-1
187 FASTON REC 20-16 AWG BR



TE Part #1676639-3
RN 0805 10R 0.1% 10PPM 5K RL



TE Part #1217084-1
FASTON 187 PIGGY-BACK REC 22-18 AWG TPBR



TE Part #521306-1
110 FASTON HSG. REC 5MM2P NATURAL

TE Part #1-521204-6
HSG, POS LOCK, .250 SERIES, 2 POSITION

Documents

Product Drawings

110 FASTON,REC.,16-18 AWG,BR

English

CAD Files

Customer View Model

ENG_CVM_CVM_1217345-1_K.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1217345-1_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1217345-1_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English

Application Specification

English

FASTIN-FASTON 110, 187, 205 And 312 Series Receptacle Contacts

English

Product Environmental Compliance

TE Material Declaration

English

Agency Approvals

CSA Certificate

English

CSA Certificate

English