




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **.2 – .51 mm²**

Mating Tab Width: **1.27 mm [.05 in]**

Mating Tab Thickness: **.38 mm [.015 in]**

Features

Configuration Features

Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	1.27 mm[.05 in]
Mating Tab Thickness	.38 mm[.015 in]
Terminal Orientation	Straight
Contact Base Material	Phosphor Bronze
Terminal Plating Material	Pre-Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

--



Wire Insulation Support	Without
Mating Retention Type	Dimple

Dimensions

Terminal Material Thickness	.25 mm[.01 in]
Product Length	7.87 mm[.31 in]
Wire Size	.2 – .51 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Industry Standards

Agency/Standard	UL
-----------------	----

Packaging Features

Packaging Quantity	20000
Packaging Method	Strip/Reel

Other

Line	Budget
------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 61813-1
093 FASTON REC 26-22 AWG TPBR

TE Part # 60252-1
103 FASTON REC 22-18 AWG TPBR

TE Part # 60900-4
WRAP TYPE TAB REC 24-22 AWG TPBR

TE Part # 63391-2
093 FASTON TAB REC 22-18 AWG TPBR

TE Part # 1-160760-2
110 FASTON,REC.,30-26 AWG,PTPBR

TE Part # 42765-1
TAPER TAB 078 REVERSE REEL REC 24-22TPBR

TE Part # 60432-1
103 FASTON REC 22-18 AWG TPBR

TE Part # 969207-2
FLA-STE-KONT2,8X0,8

TE Part # 969208-2
FLA-STE-KONT6,3X0,8

Also in the Series | Special Purpose Terminals

PCB Terminals(2)


Quick Disconnects(9)

Customers Also Bought






TE Part #3-6609106-0
PS0S0DHBX=C1178




TE Part #2336514-1
2MM HM MALE CONNECTOR, COL 8, M2




TE Part #61454-1
WRAP TYPE TAB RECEPTACLE 24-20 AWG TPBR



TE Part #1924292-5
6POS, MCON 1.2 CB REC 2p TL SEALED



TE Part #1609140-1
PA100=F6800



TE Part #60885-2
PIN .055 REC 24-20 AWG TPPHBZ



TE Part #63705-1
125 FASTON REC 22-18 AWG BR



TE Part #42765-1
TAPER TAB 078 REVERSE REEL REC 24-22TPBR



TE Part #640259-1
058 PIN REC IS 18-22 010TPBECU

Documents

Product Drawings

50 FASTON TAB 24-20 AWG TPBZ

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_62352-1_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_62352-1_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_62352-1_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



82004 FASTON Terminals (Insulated and Uninsulated) Catalog - FASTON Receptacles Section

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English