62437-1 ✔ ACTIVE

FASTON | FASTON 110



TE Internal #: 62437-1

PCB Terminals, Tab, Mating Tab Width .112 in [2.86 mm], PCB Hole Diameter 1.63 – 1.73 mm [.064 – .068 in], Through Hole - Solder, FASTON 110

View on TE.com >

Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**

PCB Thickness (Recommended): **.81 – 2.36 mm [.032 – .093 in]**

Mating Tab Width: **2.86 mm [.112 in]**

Mating Tab Thickness: **.51 mm [.02 in]**

PCB Hole Diameter: **1.63 – 1.73 mm [.064 – .068 in]**

Features

Contact Features

PCB Contact Termination Area Plating Material Thickness	3.81 µm[150 µin]
Contact Underplating Material Thickness	2.54 µm[100 µin]
Contact Mating Area Plating Material Thickness	3.81 µm[150 µin]
PCB Terminal Type	Tab
Mating Tab Width	2.86 mm[.112 in]
Mating Tab Thickness	.51 mm[.02 in]
Terminal Plating Material	Tin
Contact Underplating Material	None
Terminal Size	2.8
Terminal Orientation	Straight

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Printed Circuit Board

Mechanical Attachment

Wire Insulation Support	Without

Dimensions

Extension Below Board	3.3 mm[.13 in]
PCB Thickness (Recommended)	.81 – 2.36 mm[.032 – .093 in]
PCB Hole Diameter	1.63 – 1.73 mm[.064 – .068 in]
Profile Height from PCB	8.64 mm[.34 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Industry Standards

Agency/Standard	CSA, UL

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



TE Part # 735427-2
110 FASTON TAB TPBR



TE Part # 61134-3
110 FASTON TAB TPBR




TE Part # 62409-1
250 FASTON TAB TPBR



TE Part # 63982-1
187 FASTON TAB TPBR



TE Part # 1217156-1
187 FASTON,PCB TAB,TNBR



TE Part # 62747-1
FASTON 187 TAB STAKE TPBR



TE Part # 63900-1
250 FASTON TAB TPBR



TE Part # 60284-2
205 FASTON TAB TPBR



TE Part # 1742686-1
250 FASTON,PCB TAB,TCBR



TE Part # 725996-2
110 FASTON TAB TPBR



TE Part # 62705-1
187 FASTON TAB TPBR



TE Part # 1-1217121-1
110 FASTON,PCB TAB,TPBR

Also in the Series | FASTON 110




Crimp Terminal Housings(13)



Insertion & Extraction Tools(1)




PCB Terminals(21)



Quick Disconnects(172)

Customers Also Bought



TE Part #5499910-2
A/L UNIV HDR 14P VERT SHT LAT




TE Part #2-2176231-8
3522 130R 1% 3W



TE Part #53894-4
HSG ASSY,PWR LK,SRS1,1 POS,RED



TE Part #3-1419108-5
RTD34012



TE Part #61134-3
110 FASTON TAB TPBR



TE Part #1623021-1
CRG0603 5% 100R



TE Part #3-2176349-7
CRGCQ 2512 10K 1%



TE Part #1-2176412-8
5W XSM M/OX 5% 27R



TE Part #3-641215-2
02P MTA100 HDR ASSY FL/ST 30AU



TE Part #NB20314001
VERSAFIT-3/16-0-SP-SM

Documents

Product Drawings

110 FASTON TAB TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_62437-1_U_c-62437-1-u.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_62437-1_U_c-62437-1-u.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_62437-1_U_c-62437-1-u.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

FASTON PCB Tabs and Receptacles

English

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

English

Product Specifications

FASTON* 110, 187, 205, 250, and 312 Series Tab Contacts for Printed Circuit (PC) Board Applications

English

Product Environmental Compliance

Product Compliance Document

English

Product Compliance Document

English

Agency Approvals

CSA Certificate

English

CSA Certificate

English