63066-1 ✔ ACTIVE


FASTON | FASTON 250

TE Internal #: 63066-1


PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], PCB Hole Diameter 2.54 mm [.1 in], Through Hole - Solder, Tin Plating, Brass, Reel, FASTON 250

View on TE.com >

Terminals & Splices > PCB Terminals







PCB Terminal Type: **Tab**

PCB Thickness (Recommended): **1.57 mm [.062 in]**

Mating Tab Width: **6.35 mm [.25 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

PCB Hole Diameter: **2.54 mm [.1 in]**

Features

Contact Features

PCB Contact Termination Area Plating Material Thickness	3.81 µm[150 µin]
Contact Underplating Material Thickness	2.54 µm[100 µin]
Contact Mating Area Plating Material Thickness	3.81 µm[150 µin]
PCB Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Plating Material	Tin
Contact Underplating Material	Brass
Terminal Size	6.35
Terminal Orientation	Straight

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Printed Circuit Board

Mechanical Attachment

Wire Insulation Support	With

Dimensions

Extension Below Board	3.69 mm[.145 in]
Terminal Material Thickness	.81 mm[.032 in]
PCB Thickness (Recommended)	1.57 mm[.062 in]
PCB Hole Diameter	2.54 mm[.1 in]
Profile Height from PCB	12.06 mm[.48 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-30 – 110 °C[-22 – 230 °F]

Packaging Features

Packaging Quantity	4000
Packaging Method	Reel

Other

Terminals & Splices Comment	Insertion equipment available.

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Pin-in-Paste capable to 260°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # 62650-1
250 FASTON TAB TPBR



TE Part # 63650-1
250 FASTON TAB TPBR



TE Part # 1217127-1
250 FASTON,PCB TAB,TPBR



TE Part # 63824-1
250 FASTON TAB TPBR



TE Part # 1217126-1
250 FASTON,PCB TAB,TPBR



TE Part # 1217539-1
250 FASTON,PCB TAB,TCBR



TE Part # 1217125-1
250 FASTON,PCB TAB,TPBR



TE Part # 1217155-1
250 FASTON,PCB TAB, TCBR



TE Part # 1217154-1
250 FASTON,PCB TAB,TCBR



TE Part # 63839-1
250 FASTON TAB TPBR

Also in the Series | FASTON 250



Compression Connectors(4)



Crimp Terminal Housings(142)




Insertion & Extraction Tools(6)



Magnet Wire Terminals(1)



PCB Terminals(135)



Quick Disconnects(445)




Splices(4)


Customers Also Bought



TE Part #3-644456-3
03P MTA100 HDR ASSY (NARROW)




TE Part #5103308-6
A/L LOW PRO HDR 26P VERT BLACK



TE Part #7-534998-5
50 MODIV VRT DR CE 100/125



TE Part #1-2176325-4
CRGP 0402 120R 1%



TE Part #7-1452668-3
MCON 1.2 LL REC SWS AG



TE Part #1-2176280-5
CPF 0402 143K 0.1% 25PPM 1K RL



TE Part #A739623001
FLHTC0311-0.50-0



TE Part #CD31433001
FLHTC0311-0.50-2



TE Part #1649329-1
RTE24005



TE Part #NB08642001
ATUM-24/6-2-STK

Documents

Product Drawings

250 FASTON TAB TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63066-1_AA_c-63066-1-aa.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_63066-1_AA_c-63066-1-aa.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63066-1_AA_c-63066-1-aa.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

FASTON PCB Tabs and Receptacles

English

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

English

Product Specifications

Application Specification

English

PC Board .032 X .250 Tab Contacts

English

Product Environmental Compliance

TE Material Declaration

English

Agency Approvals

CSA Certificate

English

CSA Certificate

English