




Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**

PCB Thickness (Recommended): **.81 – 2.36 mm [.032 – .093 in]**

Mating Tab Width: **2.79 mm [.11 in]**

Mating Tab Thickness: **.8 mm [.032 in]**

PCB Hole Diameter: **1.21 – 1.11 mm [.048 – .044 in]**

Features

Contact Features

PCB Contact Termination Area Plating Material Thickness	3.81 μm[150 μin]
Contact Underplating Material Thickness	2.54 μm[100 μin]
Contact Mating Area Plating Material Thickness	3.81 μm[150 μin]
PCB Terminal Type	Tab
Mating Tab Width	2.79 mm[.11 in]
Mating Tab Thickness	.8 mm[.032 in]
Terminal Plating Material	Tin
Contact Underplating Material	Copper
Terminal Size	2.8
Terminal Orientation	Straight

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Printed Circuit Board

Dimensions



Extension Below Board	3.94 mm[.155 in]
PCB Thickness (Recommended)	.81 – 2.36 mm[.032 – .093 in]
PCB Hole Diameter	1.21 – 1.11 mm[.048 – .044 in]
Profile Height from PCB	11.86 mm[.473 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Industry Standards

Agency/Standard	CSA, UL
-----------------	---------

Packaging Features

Packaging Quantity	10000
Packaging Method	Reel

Other

Terminals & Splices Comment	Insertion machine available.
-----------------------------	------------------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 63525-1 187 FASTON TAB TPBR	 TE Part # 62395-1 110 FASTON TAB TPBR	 TE Part # 62221-1 187 FASTON TAB TPBR	 TE Part # 63823-1 187 FASTON TAB TPBR
 TE Part # 61968-1 110 FASTON TAB TPBR	 TE Part # 1217539-1 250 FASTON,PCB TAB,TCBR	 TE Part # 63603-1 187 FASTON TAB TPBR	 TE Part # 1742428-1 110 FASTON,TAB,PCB,TPBR
 TE Part # 63839-1 250 FASTON TAB TPBR	 TE Part # 1742014-1 110 FASTON,PCB TAB,TPBR		

Also in the Series | FASTON 110

 Crimp Terminal Housings(13)	 Insertion & Extraction Tools(1)	 PCB Terminals(21)	 Quick Disconnects(172)
---------------------------------	-------------------------------------	-----------------------	----------------------------

Customers Also Bought






TE Part #5747150-9
09 RCPT SP/FMS INSRT



TE Part #5499345-8
A/L UNIV HDR 34P RA SHT LAT



TE Part #2227303-2
CAGE ASSEMBLY, SFP, .071 TAIL




TE Part #1879216-6
CPF 0402 56K2 0.1% 25PPM 1K RL



TE Part #3-1393250-1
W28-XQ1A-16=W28



TE Part #1-1625827-3
TL3A R082 1% 2K RL



TE Part #5179656-2
AMP FH SMT PLUG ASSY 6OP



TE Part #3-6116353-2
INV MJ,1X2,PNL GRD,LED (G/Y)

TE Part #1337669-1
7.54MM CSA BRAID M5 - M5 100MM

Documents

Product Drawings

110 FASTON TAB TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63756-1_K_c-63756-1-k.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_63756-1_K_c-63756-1-k.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63756-1_K_c-63756-1-k.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



[FASTON PCB Tabs and Receptacles](#)

English

[PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS](#)

English

[Product Specifications](#)

[FASTON* 110, 187, 205, 250, and 312 Series Tab Contacts for Printed Circuit \(PC\) Board Applications](#)

English

[Product Environmental Compliance](#)

[MD_63756-1_111420172357_dmtec](#)

English

[MD_63756-1_111420172357_dmtec](#)

English

[Agency Approvals](#)

[CSA Certificate](#)

English

[CSA Certificate](#)

English