

Passive module - FLKM 14/8M/SI/PLC-125MA - 5602974

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



VARIOFACE module, for 8 channels, each with an additional terminal block and fuse per signal, (common minus potential)

Product Features

- Byte-by-byte labeling
- Negative connection per signal
- Can be used for digital I/O modules
- Can be used for digital I/O modules



Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	141.0 GRM
Custom tariff number	85369085
Country of origin	Germany

Technical data

Product type	Controller board
Controller	GE-FANUC 90-30
	ALLEN-BRADLEY ControlLogix
	ALLEN-BRADLEY PLC 5
	ALLEN-BRADLEY SLC 500
	HONEYWELL PlantScape
	MITSUBISHI MELSEC Q
	Schneider Electric MODICON TSX QUANTUM
	SIEMENS S7-300 / ET 200 M
	ABB S800 I/O

Passive module - FLKM 14/8M/SI/PLC-125MA - 5602974

Technical data

	GE-FANUC RX3i
	MITSUBISHI MELSEC L
Connection method, field level	Screw connection
Connection method, control level	IDC/FLK pin strip (2.54 mm)
Function	Fuse
Common potential	Minus
Status indicator	No

Classifications

eCl@ss

eCl@ss 4.0	27250313
eCl@ss 4.1	27250313
eCl@ss 5.0	27250313
eCl@ss 5.1	27242608
eCl@ss 6.0	27242608
eCl@ss 7.0	27242608
eCl@ss 8.0	27141152

ETIM

ETIM 3.0	EC001604
ETIM 4.0	EC001423
ETIM 5.0	EC001423


UNSPSC

UNSPSC 6.01	30211824
UNSPSC 7.0901	39121421
UNSPSC 11	39121421
UNSPSC 12.01	39121421
UNSPSC 13.2	39121421

Drawings

Passive module - FLKM 14/8M/SI/PLC-125MA - 5602974

Circuit diagram



Connection scheme: FLKM 14/8M/SI/PLC