

## Passive module - FLKM-2KS50/AAR145/YCS - 2905714

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



VARIOFACE interface module with screw connection, for Yokogawa RTD module AAR145.

The figure shows the version with spring-cage connection

RoHS

### Key Commercial Data

Packing unit	1 STK
Custom tariff number	85369010
Country of origin	Germany

### Technical data

#### Dimensions

Width	169 mm
Height	77 mm

#### Ambient conditions

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage/transport)	-20 °C ... 70 °C

#### General

Max. perm. operating voltage	≤ 30 V DC
Max. perm. current (per branch)	100 mA
Mounting position	any
Designation	Air clearances and creepage distances
Standards/regulations	DIN EN 50178
Rated surge voltage	basic insulation
Degree of pollution	2

## Passive module - FLKM-2KS50/AAR145/YCS - 2905714

### Technical data

#### General

Overvoltage category	II
----------------------	----

#### Connection data for connection 1

Connection name	Field level
Connection method	Screw connection
Stripping length	8 mm
Screw thread	M3
Conductor cross section solid	0.2 mm <sup>2</sup> ... 4 mm <sup>2</sup>
Conductor cross section flexible	0.2 mm <sup>2</sup> ... 2.5 mm <sup>2</sup>
Conductor cross section AWG	24 ... 12

#### Connection data for connection 2

Connection name	Controller level
Connection method	Yokogawa KS-compatible
Torque	0.5 Nm
Number of connections	2
Number of positions	50
Note	Usable system cables: Phoenix Contact YUC50, Yokogawa AKB331

#### Supported controller

Controller	YOKOGAWA CS3000 CentumVP
- suitable I/O card	AAR145

#### Standards and Regulations


Designation	Air clearances and creepage distances
Standards/regulations	DIN EN 50178
Degree of pollution	2
Overvoltage category	II

### Drawings

# Passive module - FLKM-2KS50/AAR145/YCS - 2905714

Circuit diagram

Dimensional drawing



The figure shows the version with spring-cage connection

## Classifications

eCl@ss

eCl@ss 5.1	27250313
eCl@ss 6.0	27242608

## Passive module - FLKM-2KS50/AAR145/YCS - 2905714

### Classifications

#### eCl@ss

eCl@ss 8.0	27141152
eCl@ss 9.0	27141152

#### ETIM

ETIM 4.0	EC001604
ETIM 5.0	EC002780