

Han3A RJ45 Cat5 plug 4p IDC, AWG 26



Image is for illustration purposes only. Please refer to product description.

| | |
|--------------------|---|
| Part number | 09 45 115 1110 |
| Specification | Han3A RJ45 Cat5 plug 4p IDC, AWG 26 |
| HARTING eCatalogue | https://b2b.harting.com/09451151110 |

Identification

| | |
|-----------------------------|-----------------|
| Category | Connectors |
| Series | RJ45 |
| Element | Cable connector |
| Specification | RJ45 |
| Type of hood/housing | Hood |
| Description of hood/housing | Straight |

Version

| | |
|--------------------|--|
| Termination method | IDC termination |
| Size | Han [®] 3 A |
| Shielding | Fully shielded, 360° shielding contact |
| Number of contacts | 4 |
| Pack contents | Connector insert Hoods/Housings Cable gland Assembly instructions |

Technical characteristics

| | |
|------------------------------|-------------------------------|
| Conductor cross-section | 0.12 mm ² Stranded |
| Conductor cross-section | AWG 26 Stranded |
| Wire outer diameter | 1.6 mm |
| Transmission characteristics | Cat. 5 Class D up to 100 MHz |
| Data rate | 10 Mbit/s 100 Mbit/s |



Pushing Performance
Since 1945

Technical characteristics

Limiting temperature -40 ... +70 °C

Degree of protection acc. to IEC 60529 IP65
IP67

Cable diameter 5 ... 9 mm

Material properties

Material (hood/housing) Zinc die-cast

Colour (hood/housing) Grey

RoHS compliant with exemption

RoHS exemptions 6(c): Copper alloy containing up to 4 % lead by weight

ELV status compliant with exemption

China RoHS 50

REACH Annex XVII substances Not contained

REACH ANNEX XIV substances Not contained

REACH SVHC substances Yes

REACH SVHC substances 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol
Lead

California Proposition 65 substances Yes

California Proposition 65 substances Lead
Nickel
Naphthalene

Requirement set with Hazard Levels R26

Specifications and approvals

Specifications EN 45545-2

Approvals DNV GL

UL / CSA UL 1977 ECBT2.E102079
CSA-C22.2 No. 182.3 ECBT8.E102079

PROFINET Yes

Commercial data

Packaging size 1

Net weight 130.18 g

Country of origin Romania

European customs tariff number 85366990

GTIN 5713140058781



Pushing Performance
Since 1945

Commercial data

eCl@ss

27440101 Rectangular connectors (set)
